



VANILLA CREAM TCELL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 01/01/2018

Version: 1.0

TECHNICAL CONCEPTS

SECTION 1: Identification

1.1. Product identifier

Product name : VANILLA CREAM TCELL
Product code : 271229
SKU # : FG750905

1.2. Recommended use and restrictions on use

Recommended use : Air care products, Odour agents
Restrictions on use : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

1.3. Supplier

Manufacturer

Rubbermaid Commercial Products LLC
3124 Valley Avenue
VA 22601-2694 Winchester - USA
T 1.800.347.9800
www.rubbermaidcommercial.com

Other

Rubbermaid Commercial Products LLC
20 Hereford Street
L6Y 0M1 Brampton - Canada
T 1.800.998.7004

1.4. Emergency telephone number

Emergency number : 24-Hour Emergency: INFOTRAC: 1-800535-5063

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Flammable liquids, Category 3 H226
Serious eye damage/eye irritation, Category 2A H319
Skin sensitisation, Category 1 H317

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA) :



Signal word (GHS-CA) : Warning

Hazard statements (GHS-CA) : H226 - Flammable liquid and vapour.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.

Precautionary statements (GHS-CA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 - Wear protective gloves.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

VANILLA CREAM TCELL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Product identifier	%	Classification (GHS-CA)
4-METHOXYBENZALDEHYDE	(CAS-No.) 123-11-5	1 - 5	Acute Tox. 4 (Oral), H302
VANILLIN	(CAS-No.) 121-33-5	1 - 5	Eye Irrit. 2A, H319
DIACETYL	(CAS-No.) 431-03-8	1 - 5	Acute Tox. 4 (Oral), H302
CITRAL	(CAS-No.) 5392-40-5	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
ETHOXY-P-CRESOL	(CAS-No.) 2563-07-7	0.1 - 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Wash with plenty of water/.... Get medical advice if skin irritation persists.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

5.3. Specific hazards arising from the hazardous product

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

VANILLA CREAM TCELL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from sources of ignition - No smoking. Provide good ventilation in process area to prevent formation of vapour. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.
- Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container tightly closed.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DIACETYL (431-03-8)		
Alberta	OEL STEL (ppm)	0.02 ppm
Alberta	OEL TWA (ppm)	0.01 ppm
Alberta	Notations and remarks	Lung dam
British Columbia	OEL STEL (ppm)	0.02 ppm
British Columbia	OEL TWA (ppm)	0.01 ppm
British Columbia	Notations and remarks	Lung dam
Manitoba	OEL STEL (ppm)	0.02 ppm
Manitoba	OEL TWA (ppm)	0.01 ppm
New Brunswick	OEL STEL (ppm)	0.02 ppm
New Brunswick	OEL TWA (ppm)	0.01 ppm
New Foundland & Labrador	OEL STEL (ppm)	0.02 ppm
New Foundland & Labrador	OEL TWA (ppm)	0.01 ppm
Nova Scotia	OEL STEL (ppm)	0.02 ppm
Nova Scotia	OEL TWA (ppm)	0.01 ppm
Nunavut	OEL STEL (ppm)	0.02 ppm
Nunavut	OEL TWA (ppm)	0.01 ppm
Northwest Territories	OEL STEL (ppm)	0.02 ppm
Northwest Territories	OEL TWA (ppm)	0.01 ppm
Prince Edward Island	OEL STEL (ppm)	0.02 ppm
Prince Edward Island	OEL TWA (ppm)	0.01 ppm

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

VANILLA CREAM TCELL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: clear. Transparent.
Colour	: colourless to slightly yellow
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: < °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 123.8 °F (51°C)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour.
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative density	: 0.965 - 0.969
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Chemical stability	: Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.
Incompatible materials	: Strong acids. Strong bases.
Hazardous decomposition products	: fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Oral: Not classified.
Acute toxicity (dermal)	: Dermal: Not classified.
Acute toxicity (inhalation)	: Not classified

VANILLA CREAM TCELL	
LD50 oral rat	30190.16 mg/kg
LD50 dermal rat	78431.77 mg/kg
ATE CA (oral)	30190.16 mg/kg bodyweight
ATE CA (dermal)	78431.77 mg/kg bodyweight

4-METHOXYBENZALDEHYDE (123-11-5)	
LD50 oral rat	1500

DIACETYL (431-03-8)	
LD50 oral rat	1600 mg/kg
LC50 inhalation rat (Vapours - mg/l/4h)	3 mg/l/4h

CITRAL (5392-40-5)	
LD50 oral	4960 mg/kg bodyweight

VANILLA CREAM TCELL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

CITRAL (5392-40-5)	
LD50 dermal	2250 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

CITRAL (5392-40-5)	
LC50 fish 1	4.1 mg/l
EC50 other aquatic organisms 1	7 mg/l waterflea
EC50 other aquatic organisms 2	5 mg/l

12.2. Persistence and degradability

VANILLA CREAM TCELL	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

VANILLA CREAM TCELL	
Bioaccumulative potential	Not established.

CITRAL (5392-40-5)	
Log Pow	2.8

12.4. Mobility in soil

CITRAL (5392-40-5)	
Log Pow	2.8

12.5. Other adverse effects

Effect on ozone layer	: None to our knowledge.
GWPmix comment	: No known effects from this product.
Other information	: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

14.1. Basic shipping description

No additional information available

14.2. Transport information/DOT

Department of Transport	
DOT NA no.	: UN1169

VANILLA CREAM TCELL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

UN-No.(DOT)	: 1169
Packing group (DOT)	: III - Minor Danger
Transport document description	: UN1169 Extracts, aromatic, liquid, 3, III
Proper Shipping Name (DOT)	: Extracts, aromatic, liquid
Contains Statement Field Selection (DOT)	:
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Division (DOT)	: 3
Hazard labels (DOT)	: 3 - Flammable liquid



Dangerous for the environment	: No
DOT Special Provisions (49 CFR 172.102)	: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / (1 + a (tr - tf))$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
IBC code	: Not applicable.
Other information	: No supplementary information available.

14.3. Air and sea transport

IMDG

UN-No. (IMDG)	: 1169
Proper Shipping Name (IMDG)	: EXTRACTS, AROMATIC, LIQUID
Transport document description (IMDG)	: UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger

IATA

UN-No. (IATA)	: 1169
Proper Shipping Name (IATA)	: Extracts, aromatic, liquid
Transport document description (IATA)	: UN 1169 Extracts, aromatic, liquid, 3, III
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. National regulations

No additional information available

CITRAL (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

VANILLA CREAM TCELL

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

4-METHOXYBENZALDEHYDE (123-11-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

VANILLIN (121-33-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

DIACETYL (431-03-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CITRAL (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

ETHOXY-P-CRESOL (2563-07-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16: Other information

Date of issue : 01/01/2018

Other information : None.

Full text of H-statements:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

SDS_CANADA_GHS_NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product